REDUCED TO 38'-0" IN BID FOR ALTERNATE No 3

50'-0" BASE BID

CHARGING FLOOR PLAN

Scale ¼" = 1'-0"

NOTE:- PLAN REVERSED. SEE GENERAL PLAN

SCALE PLATFORM

NOTE: PLATFORM SCALES COMPLETE IN 38 BASE BID COST
ARE INCLUDED. SEE ALTERNATE No 2

WEST ELEVATION

Scale ⅛" = 1'-0"

PLAN

Scale ¼" = 1'-0"

SECTION Y-Y

Scale ¼" = 1'

CHIMNEY CAP

FRONT OF BUILDING

SOUTH ELEVATION

Scale ⅛" = 1'-0"

MIDDLETOWN REFUSE INCINERATOR

P.W.B. PROJECT No

CONTRACT 154

REFUSE INCINERATOR

PROPOSED FOR

THE CITY OF MIDDLETOWN, CONN.

PLAN & ELEVATIONS

Thomas F. Bowe
Consulting Engineer
New York City

Samuel C. Cannon
Supt. of Public Works
Middletown, Conn.

Scale as shown.

October 1930

REDUCED TO 38'-0" IN BID FOR ALTERNATE NO 2

50'-0" BASE BID

FUTURE INCINERATOR UNIT

PREHEATER

COMBUSTION CHAMBER

INCINERATOR

TOOL ROOM

FURNACE

Bucket Elevator

Scale Pit

Future Flue

Existing Flue

Existing Chimney

Landing

Sump Pump

Floor Drain

Floor Drain

Floor Drain

Floor Drain

Fuel Oil Pumping Set

Fuel Oil Heater

Fuel Oil Strainer

REDUCED TO 38'-0" IN BID FOR ALTERNATE No 3

50'-0" BASE BID

Frame for Ash Storage Tank Support
Elev. top beams +47.05

Reinforcement notes: Unless otherwise noted all bent bars are to be bent at the 6th point of the clear span.
All bars are to be hooked at walls.
All hooks are to be 180° with inside radius equal to 4 times the diameter of the bar.
Dowels are to be provided for all vertical wall reinforcement and are to have 6" embedment with hook in lower end and are to lap 40 diameters with wall bars.
Splices shall occur only at supports. Bars shall lap 40 diameters at splices.
Bars bent up and over supports are to extend 40 diameters beyond center of support into adjacent span.
Where construction joints occur between abutting vertical walls ¾" dowels 3'-6" long with hooked ends shall be provided at 8' o.c.

Steel reinforcing bars
5" lb. oz. copper flashing
Keyway in center of wall
Note: Keyway in 16" and 20" walls to be 3"x9"
Keyway in all other walls to be 3"x5"

Column Detail
Scale: ¾"=1'-0"

Const. Joints

Front of Building

CHARGING FLOOR
TOP OF ALL BEAMS EL. 37.67 UNLESS OTHERWISE NOTED
ALL BEAMS - 8" BEARING ON WALLS
NOTE: PLAN REVERSED-SEE GENERAL PLAN
STRUCTURAL FEATURES DO NOT CHANGE

REDUCED TO 38'-0" IN BID FOR ALTERNATE No 3

50'-0" BASE BID

Note: All structural steel connections to be riveted and designed and fabricated in accordance with the standards of the American Institute of Steel Construction.

OFFICE & LAV.
(SEE NOTE ON PLAN SHEET No. 2)

Const. Joint at Slab

DETAIL OF CONSTRUCTION JOINTS
Scale: 3"=1'0"

SECTION J-J

ROOF PLAN
NOTE: PLAN REVERSED - SEE GENERAL PLAN
STRUCTURAL FEATURES DO NOT CHANGE

P.W.A. PROJECT No. Conn. 1253-F

CONTRACT B-4

REFUSE INCINERATOR
PROPOSED FOR
THE CITY OF MIDDLETOWN, CONN.
STEEL FRAMEWORK

Thomas F. Bowe — Consulting Engineer, New York City
Samuel C. Conklin — Supt. of Public Works, Middletown, Conn.
Scale: ¼"=1'-0" — October 1936

SHT 5 OF 6

SU 2-13



NOTE
THE NUMBER OF PILES SHOWN ON THIS PLAN ARE APPROXIMATE ONLY. THE NUMBER OF PILES ACCEPTED WILL BE DETERMINED BY THE ENGINEER.

Elevation of Pile Heads	
No. 1 Piles	18.50
" 2 "	19.00
" 3 "	16.67
" 4 "	19.67
" 5 "	18.50
" 6 "	22.00
" 7 "	18.00
" 8 "	18.00
" 9 "	16.50

P.W.A. PROJECT NO. CONN. 1282-F

CONTRACT B-4

REFUSE INCINERATOR

PROPOSED FOR

THE CITY OF MIDDLETOWN, CONN.

PLAN of CONCRETE PILES

Thomas F. Reale, Consulting Engineer, New York City

Samuel C. Cavanagh, Supt. of Public Works, Middletown, Conn.

Scale as shown — October 1940

Drawing No. 984-126

SHT 6 OF 6 SHEETS